





INTRODUCTION

In 2006, Paisley Products of Canada Incorporated (est. 1949), launched their 'Protectives' division to bring a broad spectrum of cost reducing products to the construction industry. Paisley Protectives provides the best solutions for protecting commercial, residential and industrial projects from start to finish.

Paisley Protectives is your source for a full range of dependable, cost effective materials designed to preserve your investment, protect your finishes and enhance the value of your building project. By protecting floors, bathtubs, countertops, glass, trim and facades, and installing reliable moisture and sound barriers on the home or building substructure, you will increase customer satisfaction and reduce cost on warranty claims, call-backs, clean-ups and repairs.

Xmark[®] branded products are designed to eliminate problems associated with marking, staining, scuffs, scratches, spills, water damage, and sound penetration. All products are grouped into standard, extra and maximum protection to guide you to the solutions that best suit your protective needs.

We invite you to call **1-416-PAISLEY (724-7539)** for additional information, or visit **www.paisleypro.com** to explore our fully integrated e-commerce site and see our complete range of products for construction and remodeling.

Elipse - P3 Respirator

1

2

3

4

5

6

7

8

9

10

Marlon Paisley

Vice President, Paisley Products

CONTENT

Indoor Surface Protection
Carpet Protection
Static Sheeting
Hard Surface Protection
Laminated Paperboard
Breathable Basic Floorliner
Breathe - All Protection
Construction Board
Stair Cover
Bath Tub Protector
Shower Base Protector
Protection Board - Black
Protection Board - Translucent
Protection Board - Grey
Honeycomb Protection - Black
Door Protector Blue
Foot Tracks
Foam Tape
Arno C5TS Protection Tape Yellow

Work Wear Shoe covers Waterproof Shoe Covers

Filters for Elipse Masks	
Outdoor Protection Window Protection	12
Housewrap	12
Adhesive Tapes	
3M [®] 8979 Performance Plus	
Duct Tape	13
Arno C432 Serrated Seam Tape	
Identification & Labels	
PSL BR Permanent Scannable Label	
Duck Pro [®]	14
PC 627 BR Scannable Duck Tape Codes Duck Pro [®]	
FL 227 BR Scannable Paper Tape Codes	;
FL 227 BR Scannable Paper Tape Codes Duck Pro [®]	15

11

hesives and Sealants udalseal Hybrid All Purpose 16 udalseal Hybrid udacrvl Latex Adhesive Paint udafoam PU Foam All Season 17 udafoam PU Foam Door & Window udafoam PU Foam Gap Fill udafoam PU Foam udabond Easy 18 Adhesive & Sealant rocol Express udasil Silicone HT1 udasil Silicone RTV3 19 udasil Silicone Silirub 2 udasil Silicone Multipurpose

Product Dispensers & Tools	
Carpet Tape Dispenser	20
Window Tape Dispenser	
Arno Seam Tape Floor Applicator	
Film cutter	

INDOOR SURFACE PROTECTION



Standard Protection

Designed to safeguard carpets from damage, Xmark[®] Carpet Protection helps eliminate downtime resulting from messy spills and stains. The self-adhesive sheets provide an instant protective barrier between the mess of the job site and the carpet below. The adhesive film then easily peels back when the job is completed. This gives you more flexibility to install floors when it is convenient, while providing necessary protection to allow contractors to continue their work.

Features and Benefits

- Use instead of drop sheets and simply dispose of when finished
- Perfect for high- and low-traffic areas
- Reverse-wound with adhesive on outside for easy roll down
- · Virtually maintenance-free
- No need to have carpets cleaned when the job is done



PRODUCT ID	DESCRIPTION	COVERAGE	WEIGHT
PSWSXMCP-242	24″ x 200′ RW, Clear	400 ft ²	8 lbs
1 300 3/10/01 -242	24 X 200 KW, Clear	400 11	0 103.
PSWSXMCP-245	24" x 500' RW, Clear	1,000 ft ²	17 lbs.
PSWSXMCP-24A	24" x 1,000' RW, Clear	2,000 ft ²	33 lbs.
PSWSXMCP-362	36" x 200' RW, Clear	600 ft ²	12 lbs.
PSWSXMCP-365	36" x 500' RW, Clear	1,500 ft ²	25 lbs.
PSWSXMCP-36A	36" x 1,000' RW, Clear	3,000 ft ²	48 lbs.
PSWSXMCP-485	48" x 500' RW, Clear	2,000 ft ²	34 lbs.
PSWSXMCP-322	32" x 200' RW, Clear	533 ft ²	11 lbs.
		1	

Note: Not recommended for hardwood applications.

Custom widths available through our on-site converting facility. For large area applications, apply with Xmark® Carpet Tape Dispensers. Reverse wound, 0.003" thickness.



Standard Protection

Xmark[®] Static Sheeting is a new multi-layer high-density polyethylene film specially designed for covering walls and countertops during painting, construction, and home improvement projects.

Xmark[®] Static Sheeting clings to virtually any surface with minimal or no taping required. The outer surface retains dust 31/2 times better than most plastic drop cloths. Dust, paint, sawdust and other airborne particles cling to the Xmark[®] Static Sheeting minimizing the levels of debris left on the site during repositioning or clean up. The result is less clean up time, lower costs and higher profits.

Features and Benefits

- · Uses static to secure tough film instead of adhesives
- Debris clings to product surface
- · Easily trimmed to fit any size area
- Reusable



PRODUCT ID	DESCRIPTION	COVERAGE	WEIGHT
PSPLXMSS-10	10' x 400', Clear	4,000 ft ²	8 lbs.

0.0004" thickness.



HARD SURFACE PROTECTION

Standard Protection

Xmark[®] Hard Surface Protection is specially formulated to protect factory finished hardwood floors, vinyl tile, linoleum, ceramic tile, cultured marble, counter tops, bathtubs and other hard surfaces. It also protects grout from staining or damage and protects your surfaces from scratches and scuffs. The adhesive film is strong enough to resist tears and punctures. This product is blue-tinted for easy identification. With a low- tack adhesive back, Xmark[®] Hard Surface Protection stays in place but peels off easily when the job is done without leaving any messy residue behind.



Features and Benefits

- Tough and cost effective
- · Perfect for high- and low- traffic areas
- Less labour and rework than using kraft paper and duct tape
- Protects most hard, non-porous surfaces and flooring
- · Self-adhesive and easily lifts up without residue
- Ideal for protecting tub and shower walls against nicks, scratches and stains

PRODUCT ID	DESCRIPTION	COVERAGE	WEIGHT
PSWSXMHP-242	24" x 200', Blue	400 ft ²	9 lbs.
PSWSXMHP-245	24" x 500', Blue	1,000 ft ²	21 lbs.
PSWSXMHP-24A	24" x 1,000', Blue	2,000 ft ²	43 lbs.
PSWSXMHP-362	36" x 200', Blue	600 ft ²	13 lbs.
PSWSXMHP-365	36" x 500', Blue	1,500 ft ²	32 lbs.
PSWSXMHP-36A	36" x 1,000', Blue	3,000 ft ²	64 lbs.
PSWSXMHP-485	48" x 500', Blue	2,000 ft ²	43 lbs.
PSWSXMHP-322	32" x 200', Blue	533 ft ²	11 lbs.

Note: Not recommended for carpet protection. Custom widths available through our on-site converting facility. Not compatible with Xmark® Carpet Tape Dispensers. Forward wound, 0.003" thicknes



Standard Protection

Xmark[®] Paperboard is a cost-effective way to protect hardwood, tile and cement floors from scratches, waste and impact damage during home building, renovation or moving. It features a thick layer of paper that absorbs water and solvents, and a plastic laminate backing that prevents liquids from penetrating through to the floor.

Features and Benefits

- Protects finished floors from liquid and impact damage
- · Extra thick and absorbent layer of paper
- Plastic undercoating stops water and solvents from penetrating through to finished floor
- 100% recyclable
- · Far superior to kraft and red rosin paper



PRODUCT ID	DESCRIPTION	COVERAGE	WEIGHT
PSCIXFA	36" x 100' RW, Brown	300 ft ²	20 lbs.

Reverse wound, 0.015" thickness.

INDOOR SURFACE PROTECTION



Standard Protection

Xmark[®] Breathable Basic Floorliner is an extremely durable synthetic fiber with anti slip coating and water proof layer. This product is the perfect protection layer against scuff and scratches. Easy to apply and remove. Versatile - Commonly used for floors, tiles, counter top, stairs, shower bases and many more surfaces.

Features and Benefits

- Protects LVT, Tile, Countertops, Stairs and other surfaces
- Anti-skid
- Waterproof
- Reusable



PRODUCT ID	DESCRIPTION	COVERAGE	WEIGHT
PSAFXMBBF	40" X 168', White	560 ft ²	15lbs.

0.020" thickness



Extra Protection

This innovative slip-resistant surface protection is designed to be used as a temporary floor cover for various types of site finished stairs, hardwood, carpet and ceramic tile without the need to tape it down. Xmark[®] Breathe-All Protection features a slightly tacky nonwoven padding to prevent impact damage, and a breathable plastic top layer that is water-resistant. It can be used several times before needing to be replaced.

Features and Benefits

- Suitable for most surfaces
- Blue plastic topcoat protects against water and solvents penetrating through to finished floor
- Residual moisture from floor can escape through breathable membrane
- Can be repositioned and re-used multiple times
- · Does not need to be taped down



PRODUCT ID	DESCRIPTION	COVERAGE	WEIGHT
PSAFXMBF	39" x 164' RW, Blue	538 ft ²	19lbs.

Reverse wound, 0.050" thickness.



Extra Protection

Xmark[®] Construction Board is a heavy-duty alternative to Masonite[®] sheets for protection. This high density, non-corrugated board comes in a roll and is extra thick and water resistant. Contractors and installers can use Xmark[®] Construction Board to temporarily protect hardwood flooring, colored concrete, tile, stone, linoleum and other surfaces. Xmark[®] Construction Board is the perfect solution when you need both impact protection and breathability.

Features and Benefits

- Rolls out and lays flat
- Protects finished floors from impact damage
- 100% recyclable
- Will not crush if driven on
- Contributes toward LEED credits



PRODUCT ID	DESCRIPTION	COVERAGE	WEIGHT
PSSPXMCB	38" x 100', Brown	317 ft ²	50lbs.

0.050" thickness.



Maximum Protection

The waterproof Xmark[®] Stair Cover offers reliable protection for wooden stairs with a thick, highly durable PVC extrusion designed to prevent scuffs, scrapes and marks. Fastens quickly and securely to standard stairs of .75" to 1.25" thick and 9.5" and larger in width without the need for adhesives or tapes. A ledged grip provides added traction. Easy to install and remove.

Features and Benefits

- Protects stairs from scuffs and water damage
- · Easy to install and remove
- Fastens without adhesives or tapes
- Reusable



PRODUCT ID	DESCRIPTION	COVERAGE	WEIGHT
PSASXMSC	9.5″ x 33.25″, Beige	2.2 ft ²	10lbs.

Note: Only available for sale outside the Greater Toronto Area. 0.050" thicknes

INDOOR SURFACE PROTECTION



Standard Protection

Xmark[®] Tub Protector - a specialized solution designed to safeguard your bathtub during construction, renovations, or any high-impact activities. Crafted with precision from durable and semi-flexible plastic. This liner ensures comprehensive protection against potential scratches, stains, and damages that often accompany such projects. It's easy application and effortless removal make it a practical selection for ensuring a peace of mind.

Features and Benefits

- Crafted with cushioned pads on the bottom to absorb shocks and shield against scratches or dents
- Suitable for tubs with a 16-inch depth
- Straightforward application and effortless removal



Standard Protection

Xmark[®] Shower Base Protector is designed to protect your shower base from damage from tools, debris, and heavy foot traffic. This versatile protector easily accommodates different shower sizes and can be trimmed for a perfect fit. With its straightforward application and easy removal, it's a practical choice that offers peace of mind.

Features and Benefits

- Constructed from high-impact plastic with a foam-padded bottom
- Nest together for compact storage
- The foam pad grips the shower base, safeguarding the finish from abrasive wear
- Multi-fit sizes that can be trimmed for 48" x 34" or 36" x 34"



PRODUCT ID	DESCRIPTION	COVERAGE	WEIGHT
PSBMXMTP	60" x 30" x 16", Dark Grey	12.50 ft ²	1 lbs.

0.015" thickness.



PRODUCT ID	DESCRIPTION	COVERAGE	WEIGHT
PSBMXMSBP	60" x 34" x 3.5", Dark Grey	14.17 ft ²	1 lbs.

0.015" thickness.



Standard Protection

Xmark[®] Protection Board - Black features a 2.5 mm thick high-density sheet engineered to provide protection for delicate surfaces. Crafted for durability while retaining a lightweight profile.

This versatile protection solution doesn't just excel in impact resistance; it also boasts impressive waterproof properties, rendering it an ideal fit for diverse environments.

Features and Benefits

- Protect vulnerable surfaces from scratches, impacts, and wear. in high traffic areas
- · Easy to install and remove
- Reusable
- · Versatile, suitable for various applications



PRODUCT ID	DESCRIPTION	COVERAGE	WEIGHT
PSSRXDBK2-32	32" x 78", Black	17.33 ft ²	2 lbs.
PSSRXDBK2-37	37.5" x 82", Black	21.75 ft ²	2 lbs.
PSSRXPBK2-48	48" x 87", Black	29 ft ²	3 lbs.

0.10" thickness.



Extra Protection

Xmark[®] Protection Board - Translucent features a 4 mm thick high-density sheet engineered to provide heavy-duty impact protection for delicate surfaces. Crafted for durability while retaining a lightweight profile.

This versatile protection solution doesn't just excel in impact resistance; it also boasts impressive waterproof properties, rendering it an ideal fit for diverse environments. The translucence element enables the passage of light, making it as an excellent option for projects that depend on natural light, like window protection or creating temporary enclosures.

Features and Benefits

- Protect vulnerable surfaces from scratches, impacts, and wear. in high traffic areas
- Allows natural light to shine through, maintaining the ambiance of the space
- · Easy to install and remove
- Reusable
- · Versatile, suitable for various applications



PRODUCT ID	DESCRIPTION	COVERAGE	WEIGHT
PSSRXPBT4-22	22" x 40", Translucent	6.1 ft ²	0.7 lbs.
PSSRXPBT4-24	24" x 87", Translucent	14.5 ft ²	1.5 lbs.
PSSRXPBT4-36	36" x 82", Translucent	20.5 ft ²	2 lbs.
PSSRXPBT4-40	40" x 87", Translucent	24.2 ft ²	2.8 lbs.
PSSRXPBT4-48	48" x 87", Translucent	29 ft ²	4 lbs.

0.16" thickness.

INDOOR SURFACE PROTECTION



Extra Protection

Xmark[®] Protection Board - Grey features a 4 mm thick high-density sheet engineered to provide heavy-duty impact protection for delicate surfaces. Crafted for durability while retaining a lightweight profile.

This versatile protection solution doesn't just excel in impact resistance; it also boasts impressive waterproof properties, rendering it an ideal fit for diverse environments.

Features and Benefits

- Protect vulnerable surfaces from scratches, impacts, and wear. in high traffic areas
- · Easy to install and remove
- Reusable
- Versatile, suitable for various applications



PRODUCT ID	DESCRIPTION	COVERAGE	WEIGHT
PSSRXPBG4	48″ X 87″, Grey	29 ft ²	8 lbs.

0.16" thickness.



Maximum Protection

Xmark[®] honeycomb protection panel features a 5-mm thick high-density sheet engineered to provide the highest level of protection for delicate surfaces. Crafted for durability while retaining a lightweight profile, this panel is further enhanced by a fleece backing that act as a reliable shield against scratches and scuffs.

The honeycomb pattern further increases the product's slip resistance. This versatile protection solution not only demonstrates remarkable impact resistance but also showcases waterproof properties, making it well-suited for various environments.

Features and Benefits

- Protect vulnerable surfaces in high traffic areas
- Fleece as additional protection layer to protect from scratches and scuffs
- · Easy to install and remove
- Reusable
- · Versatile, suitable for various applications



PRODUCT ID	DESCRIPTION	COVERAGE	WEIGHT
PSSRXHCE5	48" X 87", Black	29 ft ²	10 lbs.

0.20" thickness.



Extra Protection

Xmark[®] Door Protector Blue—a robust and High Density 4mm thick plastic sheet designed to provide optimal protection for doors against potential impacts, scratches and damages often encountered on jobsites.

This item is designed for reusability and can be conveniently folded for minimal spacing storage. When the time comes to shield your door, the process is simple and straightforward: just unfold the door protector on both sides of the door and strap it firmly in place with the velcro straps.

Features and Benefits

- Shields doors from scratches, dents, and other forms of damage
- Quick and easy setup with the Velcro strap, no tools or hardware required
- Reduces the need for costly door repairs or replacements



PRODUCT ID	DESCRIPTION	COVERAGE	WEIGHT
PSSRXDPL	37" X 83", Blue	21.33 ft ²	5.5 lbs.

0.15" thickness.



Standard Protection

This innovative Xmark[®] Foot Tracks floor mat has a strong adhesive coating specially designed to collect dirt and grime from shoes and boots. When the top layer becomes soiled, simply peel it off and throw it away.



Features and Benefits

- Made from tough polyethylene plastic
- Adhesive coating picks up dirt and grime from shoes and boots
- · Mat comes with 30 disposable sheets
- · Easily relocated with frame

PRODUCT ID	DESCRIPTION	COVERAGE	WEIGHT
PSSBXMFT-M2	24" x 30", 30 Blue Sheets	150 ft ²	5 lbs.
PSSBXMFT-F2	25.5" x 31.5", White Frame	5.6 ft ²	5 lbs.

0.002" thickness.

Extra Protection

Xmark[®] Foam Tape is a reusable, high level of moisture resistant, self-adhesive foam that provides surface protection. The cutting-edge technology provides cushioning for increased protection against damage that can often occur throughout the construction site. The sticky residue free foam allows contractors to roll the foam tape on the surface in a one-step process that saves valuable time and eliminates the need to tape seams.



Features and Benefits

- · Moisture resistant, conformable and self-adhesive
- Crush resistant foam withstands weight
- Can be reapplied multiple times
- · Easily trimmed to fit any size area
- Removes without residue

PRODUCT ID	DESCRIPTION	COVERAGE	WEIGHT
PSPPXMFT-121	12" x 100' RW, White	100 ft ²	3 lbs.
PSPPXMFT-122	12" x 250' RW, White	250 ft ²	6 lbs.
PSPPXMFT-125	12" x 500' RW, White	500 ft ²	10 lbs.
PSPPXMFT-241	24" x 100' RW, White	200 ft ²	6 lbs.
PSPPXMFT-242	24" x 250' RW, White	500 ft ²	10 lbs.
PSPPXMFT-245	24" x 500' RW, White	1,000 ft ²	20 lbs.
PSPPXMFT-361	36" x 100' RW, White	300 ft ²	9 lbs.
PSPPXMFT-362	36" x 250' RW, White	750 ft ²	17 lbs.
PSPPXMFT-365	36" x 500' RW, White	1500 ft ²	30 lbs.
PSPPXMFT-481	48" x 100' RW, White	400 ft ²	12 lbs.
PSPPXMFT-482	48" x 250' RW, White	1,000 ft ²	20 lbs.
PSPPXMFT-485	48" x 500' RW, White	2,000 ft ²	40 lbs.

0.050" thickness


ARNO C5TS PROTECTION TAPE YELLOW

Standard Protection

Arno C5TS Protection Tape Yellow is a cost-effective solution for hard surface protection against scuff, scratches and dust. With easy application and residue-free removal, it's a hassle-free versatile solution for multiple applications like protecting door frames, window frames, bathtubs, sinks, and many more.

Features and Benefits

- · Easy to remove with no residue
- Protection against scuff, scratches and dusts



PRODUCT ID	DESCRIPTION
PSARC5TS-31	3″ x 100′, Yellow
PSARC5TS-61	6" x 100' , Yellow
PSARC5TS-121	12" x 100', Yellow

0.0065" thickness.



Whether you're protecting floors from shoe dirt and scuffs, looking to maintain a hygenic work environment, or protecting shoes from the elements, our disposable one-size-fits-all slip-on shoe covers are an easy solution.



Standard Protection

Our disposable Xmark[®] Shoe Covers are designed for industries such as construction, medical and plumbing where contamination is a concern. They are durable, textured, and are easy to slip on and off.

Features and Benefits

- Durable
- Fits up to size16
- Citrus scented



PRODUCT ID	DESCRIPTION	ITEM/CASE	WEIGHT
PSPPXMSC-K	Shoe Covers Reg., Black	150/case	8 lbs.
PSPPXMSC-D	Shoe Covers Reg., Dark Blue	150/case	8 lbs.
PSPPXMSC-G	Shoe Covers Reg., Dark Green	150/case	8 lbs.
PSPPXMSC-L	Shoe Covers Reg., Light Blue	150/case	8 lbs.
PSPPXMSC-0	Shoe Cover Reg., Orange	150/case	8 lbs.
PSPPXMSC-R	Shoe Cover Reg., Red	150/case	8 lbs.
PSPPXMSC-W	Shoe Covers Reg., White	150/case	8 lbs.

0.007" thickness.



Extra Protection

Xmark[®] Waterproof Shoe Covers are the ideal shoe cover for indoor or outdoor use. Durable, and made from a textured plastic, these covers protect shoes and boots in messy situations or adverse weather conditions. The plastic is tough enough to withstand multiple uses before tossing them away.

Features and Benefits

- Slip resistant textured plastic
- Fits up to size16



PRODUCT ID	DESCRIPTION	ITEM/CASE	WEIGHT
PSPPXMWC-K	Shoe Covers WP, Black	150/case	10 lbs.
PSPPXMWC-D	Shoe Covers WP, Dark Blue	150/case	10 lbs.
PSPPXMWC-L	Shoe Covers WP, Light Blue	150/case	10 lbs.
PSPPXMWC-0	Shoe Covers WP, Orange	150/case	10 lbs.
PSPPXMWC-R	Shoe Covers WP, Red	150/case	10 lbs.

0.007" thickness.

ELIPSE - P3 RESPIRATOR

Standard Protection

The Elipse mask series, marks a significant advancement in respiratory safety. These masks are remarkably lightweight within their category, thanks to its ergonomic design. Utilizing hypoallergenic materials, these low-profile masks come with replaceable filters boasting an impressive minimum particle protection efficiency of over 99.97% for 0.3-micron particles and 99.98% for 0.04-micron particles, earning the highest safety classification for a particulate filter.

The Elipse masks are a versatile solution suitable for everyday applications, from DIY and commercial construction to more demanding environments like metalworking, welding, and stonemasonry. Its filters deliver maximum protection against a wide array of dust particles, and replacement filters are readily available when needed.

Features and Benefits

- NIOSH Approved TC-84A-6949.
- Soft, light and resistant.



PRODUCT ID	DESCRIPTION
PSEM00P3-449	SPR444 N/O Mask (S/M) w/filter set
PSEM00P3-451	SPR451 Mask (S/M) w/filter set
PSEM00P3-456	SPR456 N/O Mask (M/L) w/filter set
PSEM00P3-457	SPR457 Mask (S/M) w/filter set
PSEM00P3-466	SPR466 OV Mask (S/M) w/filter set
PSEM00P3-467	SPR467 OV Mask (M/L) w/filter set
PSEM00P3-472	SPR472 OV+AG Mask (S/M) w/filter set
PSEM00P3-473	SPR473 OV+AG Mask (M/L) w/filter set
PSEM00P3-549	SPR549 Integra Mask (S/M) w/ filter set
PSEM00P3-550	SPR550 Integra Mask (M/L) w/ filter set
PSEM00P3-554	SPR554 Integra OV Mask (M/L) w/ filter set
PSEM00P3-555	SPR555 Integra OV+AG Mask (S/M) w/ filter set
PSEM00P3-587	SPM587 Mask Starter Kit (M/L)
PSEM00P3-643	SPR643 Source Control (no valve) Mask (S/M)
PSEM00P3-644	SPR643 Source Control (no valve) Mask (M/L)

FILTERS FOR ELIPSE MASKS

PRODUCT ID	DESCRIPTION
PSEM00P3-321	SPR321 Std Filter for SPR451/457 Mask
PSEM00P3-450	SPR450 N/O Filter for SPR449/456 Mask
F 3LIVIOUF 3*430	3FR430 W/O TILETIOL 3FR443/430 Widsk
PSEM00P3-468	SPR468 OV Filter for SPR466/467 Mask
PSEM00P3-474	SPR474 OV+AG Filter for SPR472/473 Mask
PSEIVI00P3-4/4	SPR4/4 UV+AG FILLER TOF SPR4/2/4/3 IVIASK





WINDOW PROTECTION

Standard Protection

For interior or exterior use, Xmark[®] Window Protection is an easy-to-apply, self-adhesive polyethylene film for protecting glass surfaces. The low-tack film adheres to glass, plastics, metal and aluminium without damage. Available in two grades, it is perfect for exterior building and interior remodelling where mortar, stucco and overspray can cause scratching and etching.

Features and Benefits

- Durable polyethylene film
- Self-adhesive and easy-to-apply
- Low-tack design will not damage windows and casings
- Available in two grades for short- or long-term protection



PRODUCT ID	DESCRIPTION	WEIGHT
PSWSXMWP-126	12"x 600', Blue (180 Day Protection)	11 lbs.
PSWSXMWP-246	24"x 600', Blue (180 Day Protection)	23 lbs.
PSWSXMWP-366	36"x 600', Blue (180 Day Protection)	36 lbs.
PSMTXMWU-CB3	24"x 330', Blue (360 Day Protection)	19 lbs.
PSMTXMWU-CD3	48"x 330', Blue (180 Day Protection)	37 lbs.

Forward wound, 0.003" thickness



Standard Protection

Xmark[®] housewrap replaces both micro-perforated and micro-porous housewrap technologies. Its unperforated, non-woven polypropylene film has no holes, pores or micro-pores and has a breathable coating on one side that blocks the transmission of moisture from outside to inside the house.

Compared with asphalt saturated kraft or felt, Xmark[®] Housewrap has a higher resistance to tearing and breaking. It is dispensed in large sheets with fewer lap joints and is durable after long-term water, heat, UV and wind exposure. Compared with many micro- perforated and microporous housewrap technologies, Xmark[®] Housewrap exhibits desirable MVTR results, shows good hydrostatic resistance, holds up as an excellent air barrier, is insensitive to surfactants, and serves as an intrinsic viral/bacterial/odour barrier. This product is approved for sale in both the U.S. and Canada (including Ontario) and complies with ICC-ES, CCMS and BMEC standards.



Features and Benefits

- Balanced moisture vapour transmission
- Provides excellent resistance to liquid, air and vapour passage
- Insensitive to surfactants
- Intrinsic viral/bacterial/odour barrier

PRODUCT ID	DESCRIPTION	COVERAGE	WEIGHT
PSAMXMHU-3A	3' X 100', Teal	300 ft ²	10 lbs.
PSAMXMHU-6A	9' x 100', Teal	900 ft ²	27 lbs.
PSAMXMHU-A4	10' x 100', White	1000 ft ²	30 lbs.

Forward wound 0 015" thickness

3M[®] 8979 PERFORMANCE PLUS DUCT TAPE

Maximum Protection

3M[®] 8979 Performance Plus Duct Tape sticks securely on contact and removes cleanly from most opaque surfaces in up to six months indoors and outdoors. This high-tech product resists UV, sunlight and weather to stay on for up to one year without deterioration. The special adhesive on the 3M[®] Duct Tape adheres immediately and reliably long term to most surfaces. This product protects against light abrasion including overspray from bead blasting, sand blasting and shot preening. Use this 3M[®] tape for holding, joining, sandblast overspray protection, bundling, pipe wrapping, reinforcing, patching, metal protection, sealing, hanging poly, masking, labelling, temporary conduit, moisture proofing capping and marking.

Features and Benefits

- Stays on for up to one year without deterioration, even outdoors
- Saves time of removing sticky residue
- Strong waterproof backing resists wear, abrasion, moisture and weathering
- · Aggressive adhesive for quick and reliable attachment



PRODUCT ID	DESCRIPTION	ITEM/CASE	WEIGHT
PS3M08979-24	1" x 60 yards, Slate Blue	48 rls/case	47 lbs.
PS3M08979-48	2" x 60 yards, Slate Blue	24 rls/case	45 lbs.
	-		
PS3M08979-72	3" x 60 yards, Slate Blue	12 rls/case	35 lbs.
PS3M08979-96	4" x 60 yards, Slate Blue	12 rls/case	47 lbs.

0.012" thickness

ARNO C432 SERRATED SEAM TAPE

Standard Protection

Arno Serrated Seam Tape —a versatile tape designed to enhance your project efficiency. Engineered with your convenience in mind, this product features a serrated edges on every roll to allow an effortless and quick tearing. It also comes equipped with a polyethylene backing that showcases UV stabilization, further enhancing its functionality.

Features and Benefits

- · Serrated edges for effortless and quick tearing
- Polyethylene backing
- · Easy and clean removal



PRODUCT ID	DESCRIPTION	
PSARC432-48	2" x 60 yards, White	
PSARC432-72	3" x 60 yards, White	

0.007" thickness

PSL BR PERMANENT SCANNABLE LABEL DUCK PRO[®]

Standard Protection

Duck Pro[®] by Shurtape[®] BR Code[™] permanent, scannable labels for securely connecting physical locations to digital information, such as text, photos, video links, maintenance documentation, instructions and more. PSL BR labels feature preprinted codes that permanently adhere to a range of indoor and outdoor surfaces to make information easily accessible via the BitRip[®] app or desktop application – Stick. Scan. Connect[™].

Features and Benefits

- For connecting physical locations to critical, digital information
- Preprinted labels for permanent use indoors, and outdoor



PRODUCT ID	DESCRIPTION	CODES PER ROLL
PSSTPSLBR-L	1.88" x 10.5 ft, Blue	100 codes/ roll
PSSTPSLBR-G	1.88" x 10.5 ft, Green	100 codes/ roll
PSSTPSLBR-O	1.88" x 10.5 ft, Orange	100 codes/ roll

PC 627 BR SCANNABLE DUCK TAPE CODES DUCK PRO®

Standard Protection

Duck Pro[®] by Shurtape[®] BR Code[™] scannable duct tape codes for securely connecting physical locations to digital information, such as text, photos, video links, maintenance documentation, instructions and more in applications that demand durability and versatility. Easy to tear and conformable to wrap around surfaces without losing usability, PC 627 BR tape features preprinted codes that deliver a rugged solution for indoor and outdoor use.

Features and Benefits

- For connecting physical locations to critical, digital information
- Rugged solution for indoor and outdoor use



PRODUCT ID	DESCRIPTION	CODES PER ROLL
PSST627BR-1	1.88" x 5.3 ft, White	50 codes/ roll
PSST627BR-2	1.88" x 10.5 ft, White	100 codes/ roll

FL 227 BR SCANNABLE PAPER TAPE CODES DUCK PRO[®]

Standard Protection

Duck Pro[®] by Shurtape[®] BR Code[™] scannable paper tape codes for securely connecting physical locations to digital information, such as text, photos, video links, maintenance documentation, instructions and more in applications that demand a multi-surface solution. Easy to tear and conformable to wrap around surfaces without losing usability, FL 227 BR tape features preprinted codes that deliver a multi-surface solution for indoor applications

Features and Benefits

- For connecting physical locations to critical, digital information
- Recommended for indoor applications



PRODUCT ID	DESCRIPTION	CODES PER ROLL
PSST227BR	1.88" x 10.5 ft, Blue	100 codes/ roll

PXL BR HEAVY DUTY PERMANENT SCANNABLE LABEL DUCK PRO®

Maximum Protection

Duck Pro[®] by Shurtape[®] BR Code[™] heavy duty, permanent scannable labels for securely connecting physical locations to digital information, such as text, photos, video links, maintenance documentation, instructions and more in applications that demand extreme durability. PXL BR labels feature preprinted codes that are weather- and chemical resistant and permanently adhere to a range of surfaces to make information easily accessible via the BitRip[®] app or desktop application – Stick. Scan. Connect[™].

Features and Benefits

- For connecting physical locations to critical, digital information
- Weather and chemical resistance
- Recommended for indoor or outdoor use on flat surfaces



PRODUCT ID	DESCRIPTION	CODES PER ROLL
PSSTPXLBR	1.88" x 10.5 ft, Yellow	100 codes/ roll

SOUDALSEAL HYBRID ALL PURPOSE

Standard Protection

Soudaseal AP is a high quality, neutral, elastic, 1-component joint sealant based on MSPolymer.

Features and Benefits

- New generation sealant / adhesive
- Paintable (no need to wait until full cure before painting)
- No solvents / isocyanates (no shrinkage)
- AAMA approved

Applications: Windows & doors, roofing & siding, concrete & masonry, and general construction

PRODUCT ID

AVSCHSAP-L

AVSCHSAP-T

AVSCHSAP-W

AVSCHSAP-OW

SOUDALSEAL HYBRID

Standard Protection

Soudalseal Hybrid is a high quality, neutral, elastic, 1-component adhesive sealant based on MSPolymer with a very high initial tack.

Features and Benefits

- Excellent weather resistance in all climates
- Movement capability up to +/-25%
- Good extrudability even at low temperatures
- Immediate high grab strength

Applications: Mirror installations, building & construction, metal working industry, structural construction, and trailer & vehicle assembly

SOUDACRYL LATEX ADHESIVE PAINT

Standard Protection

Soudacryl PAINT is a high quality paintable acrylic latex designed for both interior and exterior use.

Features and Benefits

- Paintable
- Handles up to 5 freeze-thaw cycles
- Easy clean-up with water
- Low odor
- VOC compliant

Applications: Low movement joints, trims, wall cracks, and baseboards

PRODUCT ID	DESCRIPTION
AVSCHSTR	300ml Cartridge, White

DESCRIPTION

300ml Cartridge, White

PRODUCT ID

AVSCLAP-30W

DESCRIPTION

300ml Cartridge, Limestone

300ml Cartridge, Off-White

300ml Cartridge, Tan

300ml Cartridge, White







DESCRIPTION

300ml with Straw, Champagne

600ml Genius Gun, Champagne

SOUDAFOAM PU FOAM ALL SEASON

Standard Protection

Soudafoam All Season is a top of the line, minimal expansion, one component, moisture curing PU foam for use in extreme climates.

PRODUCT ID

AVSCPFAS-60

AVSCPFAS-60G

AVSCPFAS-75

Features and Benefits

- Gunable in all seasons (-25°C to 49°C) with a can temperature of 4°C to 35°C
- Excellent adhesion to almost all substratess
- Excellent thermal and acoustical insulation
- Extreme weather formulation

Applications: Window & door installs, insulating wall panels, electrical outlets and pipes & vents

SOUDAFOAM PU FOAM DOOR & WINDOW

Standard Protection

Soudafoam Door & Window is a minimal expansion, one component, moisture curing PU foam.

Features and Benefits

- Excellent adhesion to almost all substrates
- Excellent thermal and acoustical insulation

PRODUCT ID	DESCRIPTION
AVSCPFDW-60G	600ml Genius Gun, Champagne
AVSCPFDW-75	750ml Gun, Champagne

DESCRIPTION

600ml Gun, Champagne

750ml Gun, Champagne

600ml Genius Gun, Champagne

Applications: Window & door installs, insulating wall panels, electrical outlets and pipes & vents

SOUDAFOAM PU FOAM GAP FILL

Standard Protection

Soudafoam Gap Fill is a gap filling, high expansion, one component, moisture curing PU foam.

PRODUCT ID

AVSCPFGF-30

AVSCPFGF-60G

Features and Benefits

ingii capansion	•	High	expansion
-----------------	---	------	-----------

- Excellent adhesion to almost all substrates
- Excellent thermal and acoustical insulation

Applications: Filling of cavities, sealing of large openinings & gasps, installation of HV/AC units, and pest controls







SOUDAFOAM PU FOAM - SOUDABOND EASY

Standard Protection

Soudabond Easy is a ready-to-use, single component, self-expanding polyurethane adhesive for clean, efficient and economical permanent bonding of insulation panels and plasterboard in building and construction.

Features and Benefits

- Time & money saving
- Excellent adhesion to almost all substrates
- PRODUCT ID DESCRIPTION AVSCPFSE 750ml Gun, Orange

Fast cure

Applications: Bonding of foam boards, drywall adhesive, insulating roof panels, and gluing decorative elements

PU ADHESIVE & SEALANT PUROCOL EXPRESS

Standard Protection

Soudal Purocol Express Is a PU based construction adhesive with ultra high strength and rapid curing for transparent and water resistant (D4 to EN 204) bonding. Suitable for extreme duty wood bonding and other common building materials.

Features and Benefits

- Gun applied polyurethane adhesive
- Filling characteristics for bonding onto uneven surfaces

PRODUCT ID	DESCRIPTION
AVSCPUPE	310ml Cartridge,
	Semi Transparent White

DESCRIPTION

300ml Cartridge, Red



Applications: All type of construction materials, wooden construction elements, insulation material (including polystyrene), both interior and external usage, and can be exposted to high relative humidity

SOUDASIL SILICONE HT1

Standard Protection

Soudasil HT1 is a one-part acetoxy silicone sealant that withstands very high temperatures.

PRODUCT ID

AVSCSHT1

Features and Benefits

- Permanently flexible
- Red coloured silicone
- UV resistant
- Resists temperatures up to 260°C

Applications: HVAC/R, heating elements, duct work, and vents & pipes





SOUDA

SOUDASIL SILICONE RTV3

Standard Protection

Soudasil RTV3 is a high-quality, neutral, elastic one-component acetoxy silicone based joint sealant. NSF51.

Features and Benefits

• Excellent adhesion to glass, ceramic, porcelain, metals, wood & many more

PRODUCT ID	DESCRIPTION
AVSCSRTV3	300ml Cartridge, Clear

DESCRIPTION

300ml Cartridge, Black

300ml Cartridge, White

600ml Sausage, Black

600ml Sausage, Clear

300ml Cartridge, Brilliant White

Mildew resistant
UV resistant

Applications: For sealing of joints in sanitary and other moist rooms between e.g. showers, bathtubs and (tiled) walls, between walls and washbasins, between floors and toilets.

SOUDASIL SILICONE SILIRUB 2

Standard Protection

Silirub 2 is a premium quality low modulus neutral cure 100% silicone sealant.

PRODUCT ID

AVSCSSIL-30K

AVSCSSIL-30B

AVSCSSIL-30W

AVSCSSIL-60K

AVSCSSIL-60C

Features and Benefits

- Resistant to UV, rain, snow, ozone & many chemicals
- Excellent adhesion to glass, plastics, masonry substrates, metals, and wood
- Thick formulation, excellent toolability
- 100% silicone
- High & low temperature resistance

Applications: All usual building joints with high movement. Glazing and joint works.

SOUDASIL SILICONE MULTIPURPOSE

Standard Protection

Soudasil MULTI is a general purpose, mildew resistant 100% multi-purpose RTV silicone.

Features and Benefits

- Permanently flexible
- Watertight & airtight
- Excellent adhesion to glass, ceramic, porcelain, metals, wood & many more

Applications: Kitchen & bathroom, transport & industry, building & construction, and sealing of glass to glass

PRODUCT ID	DESCRIPTION
AVSCSSM	300ml Cartridge, Clear





PRODUCT DISPENSERS & TOOLS



CARPET TAPE DISPENSER



The Carpet Tape Dispenser installs Xmark[®] Carpet Protection Tape in large areas quickly and easily. For high-volume commercial applications, this dispenser will save you time and energy.

PRODUCT ID	DESCRIPTION	WEIGHT
PSPPXMCP-24	24" Carpet Tape Dispenser	22 lbs.
PSPPXMCP-36	36" Carpet Tape Dispenser	29 lbs.
PSPPXMCP-48	48" Carpet Tape Dispenser	48 lbs.

WINDOW TAPE DISPENSER



The dispenser fits around your waist and keeps your hands free. This dispenser provides for easy application of $\mathsf{Xmark}^{\textcircled{B}}$ Window Protection.

PRODUCT ID	DESCRIPTION	WEIGHT
PSPPXMWD-12	12" Window Tape Dispenser	5 lbs.
PSPPXMWD-24	24" Window Tape Dispenser	6 lbs.

ARNO SEAM TAPE FLOOR APPLICATOR

Seam Tape floor applicator is engineered for swift and effortless tape application on diverse floor surfaces. Capable to accommodating tape widths up to 4-1/2".

PRODUCT ID	DESCRIPTION	WEIGHT
PSAR5718	39" Floor Tape Applicator	15 lbs.





A lightweight handheld convenient tool that's perfect for cutting thin materials.

PRODUCT ID	DESCRIPTION	WEIGHT
PSXM00FC	2.76" x 2.15" x 0.1" Film Cutter	1 lbs.



LOCATIONS

Toronto Tel: 416-724-7539 Fax: 416-751-3882

40 Upton Road Scarborough, Ontario M1L 2B8

PRODUCT USE

All statements, technical information and recommendations contained in this document are based upon tests or experience that Paisley Products of Canada Incorporated (PPCI) believes are reliable. However, many factors beyond PPCI's control can affect the use and performance of a product in a particular application, including the conditions under which the product is used and the time and environmental conditions in which the product is expected to perform. Since these factors are uniquely within the user's knowledge and control, it is essential that the user evaluate the product to determine whether it is fit for a particular purpose and suitable for the user's method of application.

SHIPPING INFORMATION

Products shipped UPS, FedEx, Purolator and Common Carrier UPS Ground/Purolator – Lowest Cost. Delivery in 1-6 business days on stock items. Ask your customer service representative for an estimate on shipping cost and time to your location. Next Business Day – Available UPS, Purolator, FedEx. Second Business Day – Available UPS, Purolator, FedEx.

WARRANTY & LIMITED REMEDY

Unless stated otherwise in Paislev Products of Canada Incorporated's (PPCI) literature, packaging inserts or product packaging for individual products, PPCI warrants that each product meets the applicable specifications at the time PPCI ships the product. Individual products may have additional or different warranties as stated on product literature, package inserts or product packages. PAISLEY PRODUCTS OF CANADA INCORPORATED (PPCI) MAKES NO OTHER WARRANTIES, EXPRESS OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE OR ANY IMPLIED WARRANTY ARISING OUT OF A COURSE OF DEALING, CUSTOM OR USAGE OF TRADE. User is responsible for determining whether PPCI products are fit for a particular purpose and suitable for user's application. If the PPCI product is defective within the warranty period, your exclusive remedy and PPCI's and seller's sole obligation will

be at PPCI's option, to replace the product or refund the purchase price.

LIMITATION OF LIABILITY

Except where prohibited by law, Paisley Products of Canada Incorporated (PPCI) will not be liable for any loss or damage arising from the PPCI product, whether direct, indirect, special, incidental or consequential, regardless of the legal theory asserted, including warranty, contract, negligence or strict liability.

TRACKING SHIPMENTS

Shipments can be tracked online by Purolator or U.P.S.

SATISFACTION GUARANTEED

We endeavour to provide you with reliable service, and quality products. If you are not completely satisfied, please contact us and we will strive to make it right.

LOWEST PRICE

Because we are the largest distributor of our kind in Canada, we are able to pass the savings on to you.

WAREHOUSES

We hold stock in three locations across Canada. Paisley Products of Canada Incorporated warehouse facilities are in Toronto, Ontario and Montréal, Québec.

If you would like to order a specific SKU on an ongoing basis, we can arrange to reserve stock at any of our locations across Canada for JIT delivery.

PAYMENT INFORMATION

We accept Visa and MasterCard. Net 30 days open account with prior credit approval* C.O.D. *Past due accounts are subject to a Finance Charge of 1.5% per month, 18% per year. Returned checks are subject to a \$30 fee.

TERMS AND CONDITIONS

We reserve the right to change specifications and prices without notice. All applicable taxes are extra.

Montréal Tel: 514-344-0218 Fax: 514-344-0219

1235 Montee De Liesse, Ville Saint Laurent, Québec H4S 1S7

ORDERING INFORMATION



info@paisley.ca

Montréal 514-344-0218

www.paisleypro.com

Toll free 1-877-769-9845

Fax 416-751-3882



